

Triangle CofE Primary School

ALLERGY AND ANAPHYLAXIS Policy



Version	01/26
Name of Policy Writer	Laura Peckover SBM
Last Reviewed	July 2026
Next Review Due	July 2028

ALLERGY AND ANAPHYLAXIS POLICY

Triangle C of E Primary School

Date to be adopted July 2026

Review Date - August 2027

Written by Mrs Laura Peckover – School Business Manager

CONTENTS:

1.	AIMS AND OBJECTIVES	3
2.	WHAT IS AN ALLERGY?	3
3.	DEFINITIONS	3
4.	ROLES AND RESPONSIBILITIES	4
5.	INFORMATION AND DOCUMENTATION	7
6.	ASSESSING RISK	8
7.	FOOD, INCLUDING MEALTIMES & SNACKS	8
8.	EDUCATIONAL VISITS AND SPORTS FIXTURES.....	9
9.	INSECT STINGS.....	10
10.	ANIMALS	10
11.	ALLERGIC RHINITIS/ HAY FEVER.....	10
12.	INCLUSION AND MENTAL HEALTH.....	10
13.	ADRENALINE PENS	11
14.	RESPONDING TO AN ALLERGIC REACTION /ANAPHYLAXIS	12
15.	TRAINING	12
16.	ASTHMA	13
17.	REPORTING ALLERGIC REACTIONS.....	13

1. AIMS AND OBJECTIVES

This policy outlines Triangle CofE Primary School's approach to allergy management, including how the whole-school community works to reduce the risk of an allergic reaction happening and the procedures in place to respond if one does. It also sets out how we support our pupils with allergies to ensure their wellbeing and inclusion, as well as demonstrating our commitment to being an allergy aware school.

This policy applies to all staff, pupils, parents and visitors to the school and should be read alongside these other policies:

Medical Conditions in School, Safeguarding and Asthma

2. WHAT IS AN ALLERGY?

Allergy occurs when a person reacts to a substance that is usually considered harmless. It is an immune response and instead of ignoring the substance, the body produces histamine which triggers an allergic reaction.

Whilst most allergic reactions are mild, causing minor symptoms, some can be very serious and cause anaphylaxis, which is a life-threatening medical emergency.

People can be allergic to anything, but serious allergic reactions are most commonly caused by food, insect venom (such as a wasp or bee sting), latex and medication.

3. DEFINITIONS

ANAPHYLAXIS: Anaphylaxis is a severe allergic reaction that can be life-threatening and must be treated as a medical emergency.

ALLERGEN: A normally harmless substance that, for some, triggers an allergic reaction. You can be allergic to anything. The most common allergens are food, medication, animal dander (skin cells shed by animals with fur or feathers) and pollen. Latex and wasp and bee stings are less common allergens.

Most severe allergic reactions to food are caused by just 9 foods. These are eggs, milk, peanuts, tree nuts (which includes nuts such as hazelnut, cashew nut, pistachio, almond, walnut, pecan, Brazil nut, macadamia etc), sesame, fish, shellfish, soya and wheat.

There are 14 allergens required by UK law to be highlighted on pre-packed food. These allergens are celery, cereals containing gluten, crustaceans, egg, fish, lupin, milk, molluscs, mustard, peanuts, tree nuts, soya, sulphites (or sulphur dioxide), and sesame.

ADRENALINE AUTO-INJECTOR: Single-use device which carries a pre-measured dose of adrenaline. Adrenaline auto-injectors are used to treat anaphylaxis by injecting adrenaline directly into the upper, outer thigh muscle. Adrenaline auto-injectors are commonly referred to as AAI's, adrenaline pens or by the brand name EpiPen. There are two brands licensed for use in the UK: EpiPen and Jext Pen. For the purposes of this policy we will refer to them as Adrenaline Pens.

ALLERGY ACTION PLAN: This is a document filled out by a healthcare professional, detailing a person's allergy and their treatment plan.

DESIGNATED ALLERGY LEAD: The member of staff responsible for overseeing allergy management across the school and acting as the main point of contact for pupils, parents and staff.

NEFFY: Neffy (official name in the UK is EURNeffy) is a nasal spray which delivers adrenaline. It is a needle-free alternative to an adrenaline auto-injector approved.

INDIVIDUAL HEALTHCARE PLAN: A detailed document outlining an individual pupil's medical conditions, history, treatment, risks and action plan. This document should be created by schools in collaboration with parents/carers and, where appropriate, pupils. All pupils with an allergy should have an Individual Healthcare Plan and it should be read in conjunction with their Allergy Action Plan.

RISK ASSESSMENT: A detailed document outlining an activity, the risks it poses and any actions taken to mitigate those risks. Allergy should be included on all risk assessments for events on and off the school site.

SPARE ADRENALINE PENS: Schools are able to purchase spare adrenaline pens. These should be held as a back-up, in case pupils' prescribed adrenaline pens are not available. They can also be used to treat a person who experiences anaphylaxis but has not been prescribed their own adrenaline.

4. ROLES AND RESPONSIBILITIES

Triangle C of E Primary School takes a whole-school approach to allergy management.

4.1 Designated Allergy Lead

The Designated Allergy Lead is Joseph Allen (Headteacher). They are responsible for:

- Ensuring the safety, inclusion and wellbeing of pupils and staff with an allergy;
- Taking decisions on allergy management across the school;
- Championing and practising allergy awareness across the school;
- Being the overarching point of contact for staff, pupils and parents with concerns or questions about allergy management;
- Ensuring allergy information is recorded, up-to-date and communicated to all staff
- Making sure all staff are appropriately trained, have good allergy awareness and realise their role in allergy management (including what activities need an allergy risk assessment);
- Ensuring staff, pupils and parents have a good awareness of the school's Allergy and Anaphylaxis Policy, and other related procedures. [Consider obtaining and recording confirmation from staff that they have read and understood the policy];
- Reviewing the school's stock of spare adrenaline pens (check the school has an appropriate number for the setting, that they hold the correct dose, that spare adrenaline pens are stored appropriately) and ensuring staff know where they are;
- Keeping a record of any allergic reactions or near-misses, reporting these to the appropriate authority (e.g. Under RIDDOR) where necessary and ensuring the circumstances are investigated and learnings shared;
- Regularly reviewing and updating the Allergy and Anaphylaxis Policy; and
- Ensuring there is an anaphylaxis drill once a year.

At regular intervals the Designated Allergy Lead will check procedures and report to the SLT/Governors.

4.2 School nurse/ Healthcare team/ Medical Lead

The Headteacher is responsible for (but may delegate aspects):

- Collecting and coordinating the paperwork (including Allergy Action Plans and Individual Healthcare Plans) and information from families (this is likely to involve liaising with the admissions team for new joiners);
- Supporting the Designated Allergy Lead with disseminating this information to all school staff, including the catering team, occasional staff and those running clubs
- Ensuring the information from families is up-to-date, and reviewed annually (at a minimum) Coordinating medication with families and ensuring medication is in date.
- Keeping an adrenaline pen register to include adrenaline pens prescribed to pupils and the school's stock of spare adrenaline pens, including brand, dose and expiry date. The location of spare adrenaline pens should also be documented;
- Regularly checking spare adrenaline pens are where they should be, and that they are in date;
- Replacing the spare adrenaline pens when necessary;
- Providing on-site adrenaline pen training for staff and pupils and refresher training as required e.g. before school trips; and

4.3 Admininstration Team

The admissions team is likely to be the first to learn of a pupil or visitor's allergy. They should work with the Designated Allergy Lead and school nursing team/medical lead to ensure that:

- There is a clear method to capture allergy information or special dietary information at the earliest opportunity
- There is a clear structure in place to communicate this information to the relevant parties (i.e. SLT, catering team);
- Parents and applicants are informed of catering arrangements during admission events; and
- Plans are made for emergency medication if the child is to be left without parental supervision.

4.4 All staff

All school staff, including teaching staff, support staff, occasional staff (for example sports coaches, music teachers and those running breakfast and afterschool clubs are responsible for:

- Championing and practising allergy awareness across the school;
- Reading, understanding and putting into practice the Allergy and Anaphylaxis Policy and related procedures, and asking for support if needed;
- Being aware of pupils (and staff, when necessary) with allergies and what they are allergic to;
- Considering the risk to pupils with allergies posed by any activities and assessing whether the use of any allergen in activity is necessary and/or appropriate;
- Ensuring pupils always have access to their medication or carrying it on their behalf

- Being able to recognise and respond to an allergic reaction, including anaphylaxis, after appropriate training;
- Taking part in training and anaphylaxis drills as required (at least once a year). Whilst it is the school's responsibility to ensure staff have received annual training, if the member of staff is aware they have not received any allergy training in the last 12 months they should alert a manager;
- Considering the safety, inclusion and wellbeing of pupils with allergies at all times. Preventing and responding to allergy-related bullying, in line with the school's anti-bullying policy;
- Forwarding any communication or information that comes directly to them from parents regarding allergens to the School Nurse/ Healthcare Team; and
- Ensuring that pupils have their medication and their Allergy Action Plan or Individual Health Care Plan with them when leaving school site, for a match or trip.

4.5 All parents

All parents and carers (whether their child has an allergy or not) are responsible for:

- Being aware of and understanding the school's Allergy and Anaphylaxis Policy and considering the safety and wellbeing of pupils with allergies;
- Providing the school & Joseph Allen (Headteacher) with information about their child's medical needs, including dietary requirements and allergies, history of their allergy, any previous allergic reactions or anaphylaxis. They should also inform the school of any related conditions, for example asthma, hay fever, rhinitis or eczema;
- Considering and adhering to any food restrictions or guidance the school has in place when providing food, for example in packed lunches, as snacks or for fundraising events;
- Refraining from telling the school their child has an allergy or intolerance if this is a preference or dietary choice; and
- Encouraging their child to be allergy aware.

4.6 Parents of children with allergies

In addition to point 4.5, the parents and carers of children with allergies should:

- Work with the school to fill out an Individual Healthcare Plan and provide an accompanying Allergy Action Plan;
- If applicable, provide the school or their child with two labelled adrenaline pens and any other medication, for example antihistamine (with a dispenser, ie. spoon or syringe), inhalers or creams;
- Ensure medication is in-date and replaced at the appropriate time;
- Ensure their child has access to their allergy medication, including two adrenaline pens if prescribed, on the journey to and from school;
- Update school with any changes to their child's condition and ensure the relevant paperwork is updated too;
- Provide the school with an up-to-date photograph of their child and sign the associated permission for it to be shared appropriately as part of their allergy management; and

- Support their child to understand their allergy diagnosis and to advocate for themselves and to take reasonable steps to reduce the risk of an allergic reaction occurring eg. not eating the food to which they are allergic.

4.7 All pupils

All pupils at the school should:

- Be allergy aware;
- Understand the risks allergens might pose to their peers and respect measures to support them;
- Learn how they can support their peers and be alert to allergy-related bullying;
- Older pupils will learn how to recognise an allergic reaction and support their peers and staff in case of an emergency; and
- If pupils are likely to be buying or bringing in food from home and are old enough to check the ingredients include a line about adhering to food restrictions or guidance about food being brought in.

4.8 Pupils with allergies

In addition to point 4.7, pupils with allergies are responsible for:

- Knowing what their allergies are and how to mitigate personal risk
- Avoiding their allergen as best as they can;
- Understanding the importance of following the school specific processes of lunch and snack services and how that mitigates risk;
- Understanding that they should notify a member of staff if they are not feeling well, or suspect they might be having an allergic reaction;
- Carrying y two adrenaline auto-injectors with them at all times, if age and capability appropriate. They must only use them for their intended purpose;
- Understanding how and when to use their adrenaline auto-injector;
- Talking to the Designated Allergy Lead or a member of staff if they are concerned by any school processes or systems related to their allergy;
- Raising concerns with a member of staff if they experience any inappropriate behaviour in relation to their allergies;
- Pupils permitted to leave the school site [during the school day or at a Boarding School] should know what to do if they have an allergic reaction off school premises. This should include how to treat themselves and raise the alarm to get help; and
- If age and capability appropriate, ensuring they have their medication with them on the journey to and from school.

5. INFORMATION AND DOCUMENTATION

5.1 Register of pupils with an allergy

The school has a register of pupils who have a diagnosed allergy. This includes children who have a history of anaphylaxis or have been prescribed adrenaline pens, as well as pupils with an allergy where no adrenaline pens have been prescribed.

5.2 Individual Healthcare Plans

Each pupil with an allergy has an Individual Healthcare Plan. The information on this plan includes:

- Known allergens and risk factors for allergic reactions;
- A history of their allergic reactions;
- Detail of the medication the pupil has been prescribed including dose, this should include adrenaline pens, antihistamine etc;
- A copy of parental consent to administer medication, including the use of spare adrenaline pens in case of suspected anaphylaxis;
- A photograph of each pupil; and
- A copy of their Allergy Action Plan. See definitions for the BSACI templates.

6. ASSESSING RISK

Allergens can crop up in unexpected places. Staff (including visiting staff) will consider allergies in all activity planning and include it in risk assessments. Some examples include:

- Classroom activities, for example craft using food packaging, science experiments where allergens are present, food lessons or cooking;
- Bringing animals into the school, for example a dog or hatching chick eggs can pose a risk;
- Running activities or clubs where they might hand out snacks or food “treats”. Ensure safe food is provided or consider an alternative non-food treat for all pupils; and
- Planning special events, such as cultural days and celebrations.

Inclusion of pupils with allergies must be considered alongside safety and they should not be excluded. If necessary, adapt the activity. The school will ensure compliance with the Equality Act 2010.

7. FOOD, INCLUDING MEALTIMES & SNACKS

7.1 Catering in school

The school is committed to providing a safe meal for all students, staff and visitors, including those with food allergies. Whilst the school remains responsible for the strategic oversight of allergies in school, day-to-day operational management of school meals is delegated to Kirklees Catering.

- Due diligence is carried out with regard to allergen management when appointing catering staff.
- All catering staff and other staff preparing food will receive relevant and appropriate allergen awareness training;
- Anyone preparing food for those with allergies will follow good hygiene practices, food safety and allergen management procedures;
- The catering team will endeavour to get to know the pupils with allergies and what their allergies are, supported by school staff;

- Kirklees Catering have robust procedures in place to identify pupils with food allergies, these are a visual check from a member of staff familiar with the pupils who have allergies. All children with allergies wear orange wristbands to identify that they have an allergy, additionally, these children are brought to the kitchen pass each lunch time. Photos of pupils with allergies are also on display in the kitchen and staffroom.
- Children with known and diagnosed allergies will receive a bespoke meal plan, which must be signed by parents in advance. The school and Kirklees Catering both reserve the right to refuse to provide a meal to a child without signed confirmation of this meal plan.
- Food containing the main 14 allergens (see Allergens definition) will be clearly labelled. Other ingredient information will be available on request.
- Pre-packaged food will comply with PPDS legislation (Natasha's Law) requiring the allergen information to be displayed on the packaging;
- Where changes are made to the ingredients this will be communicated to parents of pupils with dietary needs by Kirklees Council catering team;
- Kirklees Catering team clearly labels products with Precautionary Allergen Labelling or "May Contain" labelling];

7.2 Food brought into school

Any food brought into school (or taken on school trips and sports fixtures). It should include birthday cakes, tuck, birthday cakes and other food brought into school must not contain nuts or strawberries.

7.3 Food bans or restrictions

- This school is an Allergen Aware school. We have students with a wide range of allergies to different foods, so we encourage a considered approach to bringing in food;
- We are a strawberry and nut free school and check all foods coming into the kitchen; and school.
- All food coming onto school premises or taken on a school trip or to a match should be checked to ensure peanuts and tree nuts are not an ingredient in another product. Please check the label on all foods brought in. Common foods that contain these goods as an ingredient include: packaged nuts, cereal bars, chocolate bars, nut butters, chocolate spread, sauces.

7.4 Food hygiene for pupils

- Pupils will wash their hands before and after eating;
- Sharing, swapping or throwing food is not allowed;
- Water bottles and packed lunches should be clearly labelled; and

8. EDUCATIONAL VISITS AND SPORTS FIXTURES

- Staff leading the trip will have a register of pupils with allergies and details of their medication. Staff should notify the trip leader of any allergies;
- Allergies will be considered on the risk assessment and catering provision put in place;

- Parents, and pupils where appropriate, may be consulted if considered necessary, or if the trip requires an overnight stay;
- Staff (and some pupils, if appropriate) accompanying the trip will be trained to recognise and respond to an allergic reaction;
- Allergens will be clearly labelled on catered packed lunches.
- If attending lunchtime at another setting, details of their dietary requirements will be sent ahead to ensure they have a safe meal; and
- See Adrenaline Pens section for School Trips and Sports Fixtures.

9. INSECT STINGS

Those with a known insect venom allergy should:

- Avoid walking around in bare feet or sandals when outside and when possible keep arms and legs covered;
- Avoid wearing strong perfumes or cosmetics; and
- Keep food and drink covered.

The school contract HSCS to monitor the grounds for wasp or bee nests. Pupils (with or without allergies) should notify a member of staff if they find a wasp or bee nest in the school grounds and avoid them.

10. ANIMALS

It's normally the dander ([flakes](#) of skin) saliva or urine that causes a person with an animal allergy to react.

Precautions to limit the risk of an allergic reaction include:

- A pupil with a known animal allergy should avoid the animal to which they are allergic;
- If an animal comes on site a risk assessment will be done prior to the visit;
- Areas visited by animals will be cleaned thoroughly;
- Anyone in contact with an animal will wash their hands after contact;
- If an animal lives on site, for example in a Boarding House, pupils, parents and staff will be made aware and consideration and adaptations will be made; and
- School trips that include visits to animals will be carefully risk assessed.

11. ALLERGIC RHINITIS/ HAY FEVER

School can administer prescribed medication for seasonal pollen allergy and hay fever and persistent nasal allergy due to house dust mites or other allergens.

12. INCLUSION AND MENTAL HEALTH

Allergies can have a significant impact on mental health and wellbeing. Pupils may experience anxiety and depression and are more susceptible to bullying.

- No child with allergies should be excluded from taking part in a school activity, whether on the school premises or a school trip;

- Pupils with allergies may require additional pastoral support including regular check-ins from their teacher etc;
- Affected pupils will be given consideration in advance of wider school discussions about allergy and school Allergy Awareness initiatives; and
- Bullying related to allergy will be treated in line with the school's anti-bullying policy.

13. ADRENALINE PENS

[See the government guidance on Adrenaline Pens in Schools.](#)

13.1 Storage of adrenaline pens

- Pupils prescribed with adrenaline pens will have easy access to two, in-date pens at all times;
- Adrenaline pens are to be stored centrally in the designated store outside the school hall. Each pen will be labelled with the pupil's Allergy Action Plan.
- Spot checks will be made to ensure adrenaline pens are where they should be and in date;
- Adrenaline pens must not be kept locked away;
- Adrenaline pens should be stored at moderate temperatures (see manufacturer's guidelines), not in direct sunlight or above a heat source (for example a radiator); and
- Used or out of date pens will be disposed of as sharps.

13.2 Spare adrenaline pens

This school has two spare adrenaline pens to be used in accordance with government guidance.

The locations of spare adrenaline pens are clearly signposted. These are: outside the school kitchen in a wall-mounted kit. We have four spare auto-injectors, with 2 doses of 150mg and 2 doses of 300mg.

The Allergy Lead Joseph Allen (Headteacher) is responsible for:

- Deciding how many spare pens are required
- What dosage is required, based on the Resuscitation Council UK's age-based guidance (see page 11);
- Which brand to buy.
- The purchasing of spare adrenaline pens which can be obtained at low cost from a local pharmacy. See government guidance above; and
- Distribution around the site and clear signage.

13.3 Adrenaline pens on off-site activities

- No child with a prescribed adrenaline pen will be able to go on a school trip without two of their own devices. It is the trip leader's responsibility to check they have them;
- Adrenaline pens will be kept close to the pupils at all times e.g. not stored in the hold of the coach when travelling or left in changing rooms;
- Adrenaline pens will be protected from extreme temperatures;

- Staff accompanying the pupils will be aware of pupils with allergies and be trained to recognise and respond to an allergic reaction; and
- Consider whether to take spare adrenaline pens to off-site activities. This should be recorded as part of the risk assessment process.

14. RESPONDING TO AN ALLERGIC REACTION /ANAPHYLAXIS

See appendix on recognising and responding to an allergic reaction

If a pupil has an allergic reaction:

- Treat the pupil in accordance with their Allergy Action Plan;
- Instigate the school's Emergency Response Plan which is linked to each individual's care plan.
- If anaphylaxis is suspected administer adrenaline without delay;
- Treat the pupil where they are. Lie them down with their legs raised and bring medication to them;
- Use pupil's own prescribed medication if immediately available;
- Pupil can administer the adrenaline pen themselves [if able to] or a member of staff can administer pen. Ideally the member of staff will be trained, but in an emergency, anyone can administer adrenaline;
- If the pupil's own adrenaline pen is not available or misfires, then use a spare adrenaline pen;
- If anaphylaxis is suspected but the pupil does not have a prescribed adrenaline pen or Allergy Action Plan, lie the pupil down with their legs raised, call 999 and explain anaphylaxis is suspected. Inform the operator that spare adrenaline pens are available and follow instructions from the operator. The MHRA says that in exceptional circumstances, a spare adrenaline pen can be administered to anyone for the purposes of saving their life;
- If, after 5 minutes, there is no improvement, use a second adrenaline pen and call the emergency services again and inform them that a second dose of adrenaline has been given;
- Do not move the pupil until a medical professional/ paramedic has arrived, even if they are feeling better; and
- Anyone who has had suspected anaphylaxis and received adrenaline must go to hospital, even if they appear to have recovered. A member of staff should accompany them in an ambulance until a parent or guardian arrives.

15. TRAINING

15.1 The school is committed to training all staff annually to give them a good understanding of allergy.

This includes:

- Understanding what an allergy is;
- How to reduce the risk of an allergic reaction occurring;

- How to recognise and treat an allergic reaction, including anaphylaxis. All staff are given training by Kit Medical and the opportunity to practise with a training adrenaline auto-injector in September each year.
- How the school manages allergy, for example Emergency Response Plan, documentation, communication etc;
- Where adrenaline pens are kept (both prescribed pens and spare pens) and how to access them;
- The importance of inclusion of pupils with food allergies, the impact of allergy on mental health and wellbeing and the risk of allergy related bullying;
- Understanding food labelling; and
- Taking part in an anaphylaxis drill.

15.2 The school will carry out an anaphylaxis drill once a year.

This includes:

- An exercise simulating an event where a pupil or member of staff has an allergic reaction and testing the whole school response.

16. ASTHMA

It is vital that pupils with allergies keep their asthma well controlled, because asthma can exacerbate allergic reactions. See Asthma Policy.

17. REPORTING ALLERGIC REACTIONS

The school will log allergic reaction incidents and near-misses. This will be done on Medical tracker and parents will be notified following the child's allergy action plan.

Appendix 1 – Guidance for Staff



MANAGING ALLERGIC REACTIONS

ALLERGIC REACTIONS VARY

Allergic reactions are unpredictable and can be affected by factors such as illness or hormonal fluctuations.

You cannot assume someone will react the same way twice, even to the same allergen.

Reactions are not always linear. They don't always progress from mild to moderate to more serious; sometimes they are life-threatening within minutes.

MILD TO MODERATE ALLERGIC REACTIONS

Symptoms include:

- Swollen lips, face or eyes
- Itchy or tingling mouth
- Hives or itchy rash on skin
- Abdominal pain
- Vomiting
- Change in behaviour

Response:

- Stay with pupil
- Call for help
- Locate adrenaline pens
- Give antihistamine
- Make a note of the time
- Phone parent or guardian
- Continue to monitor the pupil

SERIOUS ALLERGIC REACTIONS / ANAPHYLAXIS

The most serious type of reaction is called **ANAPHYLAXIS**. Anaphylaxis is uncommon, and children experiencing it almost always fully recover.

In rare cases, anaphylaxis can be fatal. It should always be treated as a time-critical medical emergency.

Anaphylaxis usually occurs within 20 minutes of eating a food but can begin 2-3 hours later.

People who have never had an allergic reaction before, or who have only had mild to moderate allergic reactions previously, can experience anaphylaxis.



RESPONDING TO ANAPHYLAXIS

SYMPTOMS OF ANAPHYLAXIS

A – Airway

- Persistent cough
- Hoarse voice
- Difficulty swallowing
- Swollen Tongue

B – Breathing

- Difficult or noisy breathing
- Wheeze or cough

C - Circulation

- Persistent dizziness
- Pale or floppy
- Sleepy
- Collapse or unconscious

IF YOU SUSPECT ANAPHYLAXIS, GIVE ADRENALINE FIRST BEFORE YOU DO ANYTHING ELSE.

DELIVERING ADRENALINE

1. Take the medication to the patient, rather than moving them.
2. The patient should be lying down with legs raised. If they are having trouble breathing, they can sit with legs outstretched.
3. It is not necessary to remove clothing but make sure you're not injecting into thick seams, buttons, zips or even a mobile phone in a pocket.
4. Inject adrenaline into the upper outer thigh according to the manufacturer's instructions.
5. Make a note of the time you gave the first dose and call 999 (or get someone else to do this while you give adrenaline). Tell them you have given adrenaline for anaphylaxis.
6. Stay with the patient and do not let them get up or move, even if they are feeling better (this can cause cardiac arrest).
7. Call the pupil's emergency contact.
8. If their condition has not improved or symptoms have got worse, give a second dose of adrenaline after 5 minutes, using a second device. Call 999 again and tell them you have given a second dose and to check that help is on the way.
9. Start CPR if necessary.
10. Hand over used devices to paramedics and remember to get replacements.

For more information see the Government's [Guidance for the use of adrenaline auto-injectors in schools](#).

Appendix 2 – Allergy Action Plan (with Epi-pen) Template

This child/young person has the following allergies:

Name:

DOB:

Mild/moderate reaction:

- Swollen lips, face or eyes
- Itchy/tingling mouth
- Mild throat tightness
- Hives or itchy skin rash
- Abdominal pain or vomiting
- Sudden change in behaviour

Action to take:

- Stay with person, call for help if needed
- Locate adrenaline autoinjector(s)
- Give antihistamine:

Loratadine 5mg

(If vomited, can repeat dose)

- Phone parent/emergency contact
- Do not take a shower to help with itchy skin, this can worsen the reaction

Watch for signs of ANAPHYLAXIS

(a potentially life-threatening allergic reaction)

Anaphylaxis may occur without skin symptoms: ALWAYS consider anaphylaxis in someone with known food allergy who has **SUDDEN DIFFICULTY IN BREATHING**

A AIRWAY

- Persistent cough
- Hoarse voice
- Difficulty swallowing
- Swollen tongue

B BREATHING

- Difficult or noisy breathing
- Wheeze or persistent cough

C CONSCIOUSNESS

- Persistent dizziness
- Pale or floppy
- Suddenly sleepy
- Collapse/unconscious

IF ANY ONE (OR MORE) OF THESE SIGNS ABOVE ARE PRESENT:

- 1 Lie flat with legs raised (if breathing is difficult, allow person to sit)



- 2 Use Adrenaline autoinjector without delay (eg. EpiPen®) (Dose: mg)

- 3 Dial 999 for ambulance and say ANAPHYLAXIS ("ANA-FIL-AX-IS")

*** IF IN DOUBT, GIVE ADRENALINE ***

AFTER GIVING ADRENALINE:

1. Stay with child/young person until ambulance arrives, **do NOT stand them up**. Keep them lying down, even if things seem to be getting better.
2. Phone parent/emergency contact. If you are on your own, call a friend or relative and ask them to come over.
3. If no improvement **after 5 minutes**, give a further adrenaline dose using a second autoinjector device, if available.

Commence CPR if there are no signs of life

You can dial 999 from any phone, even if there is no credit left on a mobile. Medical observation in hospital is recommended after anaphylaxis.

Emergency contact details:

1) Name:



2) Name:



Parental consent: I hereby authorise school staff to administer the medicines listed on this plan, in accordance with Department of Health Guidance on the use of AAls in schools.

Signed:


Print name:

Date:

Consent is required for children under 16 years (and for young people over 16 unable to give consent themselves) except in an unforeseen emergency

For more information about managing anaphylaxis in schools and "spare" adrenaline autoinjectors, visit: sparepensinschools.uk


How to give EpiPen®



PULL OFF BLUE SAFETY CAP and grasp EpiPen. Remember: "blue to sky, orange to the thigh"



Hold leg still and PLACE ORANGE END against mid-outer thigh "with or without clothing"



PUSH DOWN HARD until a click is heard or felt and hold in place for **3 seconds**. Remove EpiPen.

Additional instructions:

If wheezy due to an allergic reaction, GIVE ADRENALINE FIRST and then asthma reliever (e.g. blue puffer) via spacer, if prescribed

This is a medical document to be completed by a healthcare professional. It must not be altered without their permission. This document provides medical authorisation for schools to administer a 'spare' back-up adrenaline autoinjector if needed, as permitted by the Human Medicines (Amendment) Regulations 2017. During travel, adrenaline auto-injector devices must be carried in hand-luggage or on the person, and **NOT** in the luggage hold. This action plan and medical authorisation to carry emergency autoinjectors has been prepared by:

Sign & print name:

Hospital/Clinic:



Date:

Appendix 3 – Allergy Action Plan (without Adrenaline Injector Template)

This child/young person has the following allergies:

Name:

DOB:

Mild/moderate reaction:

- Swollen lips, face or eyes
- Itchy/tingling mouth
- Mild throat tightness
- Hives or itchy skin rash
- Abdominal pain or vomiting
- Sudden change in behaviour

Action to take:

- Stay with person, call for help if needed
- Locate adrenaline autoinjector(s)
- Give antihistamine:

Loratadine 5mg

(If vomited, can repeat dose)

- Phone parent/emergency contact
- Do not take a shower to help with itchy skin, this can worsen the reaction

Emergency contact details:

1) Name:



2) Name:



Parental consent: I hereby authorise school staff to administer the medicines listed on this plan, in accordance with Department of Health Guidance on the use of AAI in schools.

Signed:

Print name:

Date:

Consent is required for children under 16 years (and for young people over 16 unable to give consent themselves) except in an unforeseen emergency

For more information about managing anaphylaxis in schools and "spare" adrenaline autoinjectors, visit: sparepensionschools.uk

Watch for signs of ANAPHYLAXIS

(a potentially life-threatening allergic reaction)

Anaphylaxis may occur without skin symptoms: ALWAYS consider anaphylaxis in someone with known food allergy who has **SUDDEN DIFFICULTY IN BREATHING**

A AIRWAY

- Persistent cough
- Hoarse voice
- Difficulty swallowing
- Swollen tongue

B BREATHING

- Difficult or noisy breathing
- Wheeze or persistent cough

C CONSCIOUSNESS

- Persistent dizziness
- Pale or floppy
- Suddenly sleepy
- Collapse/unconscious

IF ANY ONE (OR MORE) OF THESE SIGNS ABOVE ARE PRESENT:

- 1** Lie flat with legs raised (if breathing is difficult, allow person to sit)



- 2** Dial 999 for ambulance and say ANAPHYLAXIS ("ANA-FIL-AX-IS")

- 3** In a school with "spare" back-up adrenaline autoinjectors, **ADMINISTER** the **SPARE AUTOINJECTOR** if available

- 4** Stay with child/young person until ambulance arrives, **do NOT** stand them up

- 5** Phone parent/emergency contact. Phone parent/emergency contact. If you are on your own, call a friend or relative and ask them to come over.

- 6** Commence CPR if there are no signs of life

***** IF IN DOUBT, GIVE ADRENALINE *****

You can dial 999 from any phone, even if there is no credit left on a mobile. Medical observation in hospital is recommended after anaphylaxis. For more information about managing anaphylaxis in schools and "spare" back-up adrenaline autoinjectors, visit: sparepensionschools.uk

Additional instructions:

If wheezy due to an allergic reaction, DIAL 999 and GIVE ADRENALINE using a "back-up" adrenaline autoinjector if available, then use asthma reliever (e.g. blue puffer) via spacer, if prescribed

This BSACI Action Plan for Allergic Reactions is for children and young people with mild food allergies, who need to avoid certain allergens. For children/young adults at risk of anaphylaxis and who have been prescribed an adrenaline autoinjector device, there are BSACI Action Plans which include instructions for adrenaline autoinjectors. These can be downloaded at bsaci.org

For further information, consult NICE Clinical Guidance CG116 Food allergy in children and young people at guidance.nice.org.uk/CG116

This is a medical document to be completed by a healthcare professional. It must not be altered without their permission. This document provides medical authorisation for schools to administer a 'spare' back-up adrenaline autoinjector if needed, as permitted by the Human Medicines (Amendment) Regulations 2017. The healthcare professional named below confirms that there are no medical contra-indications to the above-named child being administered an adrenaline autoinjector by school staff in an emergency. **This plan has been prepared by:**

Sign & print name:

Hospital/Clinic:



Date: